	Application No.	Applicant(s)
Notice of Allowability	10/782,138	CREIGHTON ET AL.
	Examiner	Art Unit
	Mark T. Le	3617
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendments filed on August 17, 2005.		
2. The allowed claim(s) is/are 12-20,23,30,31 and 35.		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 8/17/05 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amenda	e

Application/Control Number: 10/782,138 Page 2

Art Unit: 3617

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: The prior art of record does not suggest the combinations of features, as defined in instant independent claims 12, 16 and 30; where in the combinations of features, the cargo anchors/load restrains are provided on the sidewalls and only at locations on the floors proximate the respective openings in the sidewalls. The examiner has reconsidered the ground of rejection of independent claim 30, and determined that it may not be so clearly obvious to combine the prior art of record to arrive to the specific structure defined in claim 30 without hints from the instant disclosure. The specific arrangements of the cargo anchors/load restrains, as defined in independent claims 12, 16 and 30, are particularly significant to avoid drawbacks and to achieve advantages as described on pages 6 and 7 of the instant specification. It is noted that such a limitation "no cargo anchors disposed within other portions of the floor assembly", as recited in claim 30, generally could easily be met by applying a common knowledge of removing components (cargo anchors) from a prior art structure along with the functions thereof. However, such limitation when is considered in combination with other features of the instant claimed invention would bring about significant advantages beyond the teaching of the prior art of record; therefore, such common knowledge is not deemed to be applicable in a ground of rejection. Regarding independent claim 20, the claimed arrangement of the thermal insulators, considered in combination with other features recited in the claim, is defined over prior art of record. Regarding instant claim 31, the claimed drain system, considered in combination with other features recited in the claim, Art Unit: 3617

is defined over the prior art of record. The remaining pending dependent claims are considered to be defined over the prior art of record for at least the same reasons that are noted for their respective independent claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark T. Le whose telephone number is 571-272-6682. The examiner can normally be reached on Mon-Fri (2:00-8:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Samuel Morano can be reached on 571-272-6684. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mark T. Le Primary Examiner Art Unit 3617

mle 9/9/05